What is claimed is:

- 1. A therapeutic system for the symptomatic treatment of rhinitis comprising:
- 3 (a) two dosage units pharmaceutical dy devised for use
- 4 with each other to comprise a single / coordinated treatment
- 5 regimen, a first of said dosage units being non-sedating, a
- 6 second of said dosage units being/non-stimulating;
- 7 (b) one of said dosage units/including antihistamine;
- 8 (c) the other of said dosage units including nasal
- 9 decongestant;
- 10 (d) a pharmaceutical dispensing container prefilled with
- 11 said dosage units, said container including indicia for
- 12 distinguishing between said first dosage unit and said
- 13 second dosage unit, and including coordinated administration
- 14 instructions instructing the coordinated use of said dosage
- units according to said regimen such that said first dosage
- 16 unit is for administration when sedation is not desired, and
- 17 said second dosage unit is for administration when
- 18 stimulation is not desired.
 - 1 2. The the papeutic system of claim 1 wherein said
- 2 antihistamine/is non-sedating.
- 1 3. The therapeutic system of claim 1 wherein said
- 2 antihistamine is sedating.
- 4. The therapeutic system of claim 1 wherein said
- 2 antihistamine has a long half-life and is instructed for
- 3 dosing at bedtime.



- 5. The therapeutic system of claim 1/wherein said
- 2 antihistamine is sedating, has a long half-life, and is
- 3 instructed for dosing at bedtime.
- 1 6. The therapeutic system of claim 1 wherein said
- 2 antihistamine is non-sedating, and is instructed for dosing
- 3 when stimulation is not desired/and when sedation is not
- 4 desired.
- 1 7. The therapeutic system of claim 1 wherein said
- 2 antihistamine is chlorpheniramine.
- 1 8. The therapeutic system of claim 1 wherein said
- 2 decongestant is pseudoephedrine.
- 9. The therapeutic system of claim 1 wherein said
- 2 decongestant is phemylpropanølamine.
- 1 10. The therapeutic system of claim 1 wherein said
- 2 dosage units are oral medications.
- 1 11. The therapeutic system of claim 1 wherein said
- 2 container is a blister pack.
- 1 12. The therapeutic system of claim 1 wherein said
- 2 container incorporates bottles containing liquid
- 3 medications.
- 1 13. The therapeutic system of claim 1 wherein said
- 2 container incorporates bottles containing solid medications.
- 1 14/ The therapeutic system of claim 1 wherein said
- 2 container incorporates multiple doses of each of said dosage
- 3 units.

- 1 15. The therapeutic system of claim 1 wherein said
- 2 container incorporates single doses of each dosage unit.
- 1 16. The therapeutic system of claim/1 wherein said
- 2 indicia is incorporated with said container at the time of
- 3 manufacture.
- 1 17. The therapeutic system of claim 1 wherein said
- 2 instructions are incorporated with said container at the
- 3 time of manufacture.
- 1 18. The therapeutic system of claim 1 wherein said
- 2 regimen achieves both antihis tamine and decongestant
- 3 therapeutic effects when sedation is not desired.
- 1 19. A method for the symptomatic treatment rhinitis
- 2 comprising the steps of:
- 3 (a) pharmaceutically/devi/sing two dosage units for use
- 4 with each other to comprise a single, coordinated treatment
- 5 regimen, a first of said dosages unit being non-sedating and
- 6 a second of said dosage units being non-stimulating;
- 7 (b) including antihistamine in one of said dosage units;
- 8 (c) including/nasal decongestant in the other of said
- 9 dosage units;
- 10 (d) prefil ing a pharmaceutical dispensing container
- 11 with said dosage units;
- 12 (e) including in said container indicia for
- 13 distinguishing between said first dosage unit and said
- 14 second dosage unit; and

- 15 (f) including in said container coordinated
- 16 administration instructions instructing the coordinated use
- 17 of said dosage units according to said regimen such that
- 18 said first dosage unit is for administration when sedation
- 19 is not desired, and said second dosage unit is for
- 20 administration when stimulation is/not desired.
 - 1 20. The therapeutic system of/claim 19 wherein said
 - 2 antihistamine is non-sedating.
 - 1 21. The therapeutic system/of claim 19 wherein said
 - 2 antihistamine is sedating.
 - 1 22. The therapeutic syst/em of claim 19 wherein said
 - 2 antihistamine has a long half-life and is instructed for
 - 3 dosing at bedtime.
 - 1 23. The therapeutic /system/ of claim 19 wherein said
 - 2 antihistamine is sedating, has/a long half-life, and is
 - 3 instructed for dosing at bedtime.
 - 1 24. The therapeutic system of claim 19 wherein said
 - 2 antihistamine is $n\phi n$ -sedating, and is instructed for dosing
 - 3 when stimulation is not desired and when sedation is not
 - 4 desired.
 - 1 25. The ther peutic system of claim 19 wherein said
 - 2 antihistamine ‡s chlorpheniramine.
 - 1 26. The therapeutic system of claim 19 wherein said
 - 2 decongestant/is pseudoephedrine.
 - 1 27. The /therapeutic system of claim 19 wherein said
 - 2 decongestant is phenylpropanolamine.

- 1 28. The therapeutic system of claim 19 wherein said
- 2 dosage units are oral medications.
- 1 29. The therapeutic system of claim 19 wherein said
- 2 container is a blister pack.
- 1 30. The therapeutic system of claim 19 wherein said
- 2 container incorporates bottles containing liquid
- 3 medications.
- 1 31. The therapeutic system of/claim 19 wherein said
- 2 container incorporates bottles containing solid medications.
- 1 32. The therapeutic system of claim 19 wherein said
- 2 container incorporates multiple doses of each of said dosage
- 3 units.
- 1 33. The therapeutic system/of claim 19 wherein said
- 2 container incorporates single doses of each dosage unit.
- 1 34. The method of claim 19 wherein said indicia is
- 2 incorporated with said container at the time of manufacture.
- 1 35. The method of claim 19 wherein said instructions are
- 2 incorporated with said container at the time of manufacture.
- 1 36. The therapeutic system of claim 19 wherein said
- 2 regimen achieves both antihistamine and decongestant
- 3 therapeutic effects when sedation is not desired.